



# Aquarium Products

---

**GROW YOUR BUSINESS  
WITH US**

---



## ADDRESS

---

Fuyong town, Baoan District  
Shenzhen, 518000,  
China



## CONTACT

---

Email: [sales@bldcpump.com](mailto:sales@bldcpump.com)  
Phone: +86 755 8526 1096  
Website: <https://www.bldcpump.com/>  
<https://www.dewaterpump.com/>

## AQUARIUM PUMP BLUE WHITE

- 3-YEARS WARRANTY
- China Top Level Aquarium Pump Manufacturer
- Complete customization service from design to production available
- Fast Sample Delivery
- Brushless and Sensorless, Sine Wave Control Circuit
- Bottom suction can be used to suck up fish droppings



Bottom Suction



Net Cover



## MODELS & PARAMETERS

| Model     | DC40Q-500L | DC40Q-700L | DC40Q-1000L  | DC40Q-2000L  |  |
|-----------|------------|------------|--------------|--------------|--|
| Flow      | 500L/H     | 700L/H     | 1000L/H      | 2000L/H      |  |
| Head      | 1.5M       | 2.5M       | 2M           | 3.5M         |  |
| Max Power | 5W         | 9W         | 9W           | 20W          |  |
| Min Power | 5W         | 9W         | 3W           | 5W           |  |
| Voltage   | DC5V       | DC12V      | DC12V        | DC24V        |  |
| Dimension | 89x53x71mm |            | 111x115x61mm | 128x123x67mm |  |
| Outlet    | 12mm/16mm  |            | 15mm/20mm    | 15mm/20mm    |  |

| Model     | DC52Q-3000L  | DC52Q-5000L | DC55Q-8000L  | DC65Q-10000L | DC65Q-12000L |
|-----------|--------------|-------------|--------------|--------------|--------------|
| Flow      | 3000L/H      | 5000L/H     | 8000L/H      | 10000L/H     | 12000L/H     |
| Head      | 3M           | 5M          | 5M           | 4M           | 5M           |
| Max Power | 35W          | 70W         | 85W          | 85W          | 100W         |
| Min Power | 10W          | 10W         | 10W          | 10W          | 10W          |
| Voltage   | DC24V        | DC24V       | DC24V        | DC24V        | DC24V        |
| Dimension | 170x167x79mm |             | 170x167x79mm | 206x177x93mm |              |
| Outlet    | 20mm/25mm    |             | 25mm/32mm    | 25mm/32mm    |              |

## AQUARIUM PUMP NEW BLUE

- 5-YEARS WARRANTY
- China Top Level Aquarium Pump Manufacturer
- Complete customization service from design to production available
- Fast Sample Delivery
- Brushless and Sensorless, Sine Wave Control Circuit



Super Low Noise



High Efficiency



Flexible Flow Adjustment



Failure alarm



Low Voltage Safety



Dry Running Protection

## MODELS & PARAMETERS

| Model     | Blue 3000    | Blue 4000    | Blue 6000 | Blue 8000 | Blue 10000   | Blue 12000 | Blue 20000    | Blue 30000 |
|-----------|--------------|--------------|-----------|-----------|--------------|------------|---------------|------------|
| Flow      | 3000L/H      | 4000L/H      | 6000L/H   | 8000L/H   | 10000L/H     | 12000L/H   | 20000L/H      | 30000L/H   |
| Head      | 3M           | 4M           | 5M        | 6M        | 5M           | 6M         | 6M            | 8M         |
| Max Power | 40W          | 50W          | 70W       | 85W       | 105W         | 115W       | 150W          | 220W       |
| Min Power | 10W          | 10W          | 20W       | 20W       | 30W          | 30W        | 30W           | 50W        |
| Voltage   | DC24V        | DC24V        | DC24V     | DC24V     | DC24V        | DC24V      | DC36V         | DC36V      |
| Dimension | 120x71x130mm | 164x85x161mm |           |           | 193x99x191mm |            | 270x136x188mm |            |
| Outlet    | 20mm/25mm    | 25mm/32mm    |           |           | 32mm/40mm    |            | 63mm Thread   |            |



## BOTTOM-SUCTION SUBMERSIBLE PUMP

- Suction Water Level as low as 1 cm
- The rotor cavity is continuously brushed with water, which is conducive to heat dissipation, anti-scaling and impurity precipitation.
- It has the same efficiency as the side-suction pumps, which is much higher than the traditional bottom-suction pumps' 60% efficiency.
- Three Wave Types, Six Wave Modes
- Compact Size, Beautiful Appearance



Low Noise



High Efficiency



Large Flow



Safety



## MODELS & PARAMETERS

| Model     | BS500       | BS700  | BS700-Adjustable | BS1500      | BS2500      | BS3500  |
|-----------|-------------|--------|------------------|-------------|-------------|---------|
| Flow      | 500L/H      | 700L/H | 700L/H           | 1500L/H     | 2500L/H     | 3500L/H |
| Head      | 1.2M        | 1.5M   | 1.5M             | 3M          | 3M          | 3.5M    |
| Max Power | 4W          | 9W     | 9W               | 19W         | 28W         | 36W     |
| Min Power |             |        | 1W               | 4W          | 7W          | 8W      |
| Voltage   | DC5V        | DC12V  | DC12V            | DC24V       | DC24V       | DC24V   |
| Dimension | 55x55x115mm |        |                  | 63x63x144mm | 75x74x170mm |         |
| Outlet    | 12mm/16mm   |        |                  | 16mm/20mm   | 20mm/25mm   |         |

| Model     | BS4500      | BS6000  | BS8000  | BS10000       | BS12000  |  |
|-----------|-------------|---------|---------|---------------|----------|--|
| Flow      | 4500L/H     | 6000L/H | 8000L/H | 10000L/H      | 12000L/H |  |
| Head      | 4M          | 5M      | 5M      | 4.5M          | 5M       |  |
| Max Power | 48W         | 72W     | 80W     | 96W           | 105W     |  |
| Min Power | 10W         | 14W     | 15W     | 17W           | 19W      |  |
| Voltage   | DC24V       | DC24V   | DC24V   | DC24V         | DC24V    |  |
| Dimension | 87x86x210mm |         |         | 102x100x246mm |          |  |
| Outlet    | 25mm/32mm   |         |         | 32mm/40mm     |          |  |



## DC PROGRAMABLE WAVEMAKER 2.0 SLIM

- 5-YEARS WARRANTY
- China Top Level Aquarium Pump Manufacturer
- Complete customization service from design to production available
- Fast Sample Delivery
- Brushless and Sensorless, Sine Wave Control Circuit
- Seven Wave-making Modes, Programmable



Super Thin



Direction Adjustable



Extra Wide Water Outlet

## MODELS & PARAMETERS


| Model     | ECO Slim 6000 | ECO Slim 10000 | ECO Slim 15000 | ECO Slim 20000 | ECO Slim 25000 |
|-----------|---------------|----------------|----------------|----------------|----------------|
| Flow      | 6000L/H       | 10000L/H       | 15000L/H       | 20000L/H       | 25000L/H       |
| Max Power | 9W            | 20W            | 35W            | 40W            | 70W            |
| Min Power | 3W            | 6W             | 6W             | 6W             | 6W             |
| Voltage   | DC12V         | DC24V          | DC24V          | DC24V          | DC24V          |
| Dimension | Φ48x52.5mm    | Φ62x66mm       | Φ62x66mm       | Φ75x82mm       | Φ75x82mm       |
| Tank      | < 60cm        | < 80cm         | < 100cm        | < 120cm        | <150cm         |

## DC PROGRAMABLE WAVEMAKER 3.0 SLIM PRO


- Wireless Controller Operation, APP Smart Control
- Alloy Motor Never Deform
- Good heat dissipation, Long Service Lifespan
- Unique Structure Design prevents the shaft from being stuck
- Three Wave Types, Six Wave Modes
- Compact Size, Quieter, Powerful




Three types of net cover are available:



Wide range of Wave-making,  
Gentle Water Flow



Moderate water outlet Angle and Distance




Long-distance Wave-making,  
fast speed

## MODELS & PARAMETERS

| Model     | Slim Pro 6000 | Slim Pro 8000 | Slim Pro 12000 | Slim Pro 15000 | Slim Pro 20000 | Slim Pro 25000 |
|-----------|---------------|---------------|----------------|----------------|----------------|----------------|
| Flow      | 6000L/H       | 8000L/H       | 12000L/H       | 15000L/H       | 20000L/H       | 25000L/H       |
| Power     | 12W           | 16W           | 24W            | 35W            | 45W            | 70W            |
| Voltage   | DC12V         | DC12V         | DC24V          | DC24V          | DC24V          | DC24V          |
| Dimension | Φ48x55mm      |               | Φ58x63mm       |                | Φ72x78mm       |                |
| Tank      | < 45cm        | < 60cm        | < 80cm         | < 100cm        | < 120cm        | < 150cm        |

## PROTEIN SKIMMERS

- Super Quiet from: Special Needle Rotor, Unique Patent Silencer, Super Silent Pump
- Low Voltage Operation, Safety
- Auto Power Cut-off Protection
- 5-YEARS WARRANTY
- From China Top Level Aquarium Pump Manufacturer
- Fast Sample Delivery



## MODELS & PARAMETERS

| Model              | Reef Royal 120 | Reef Royal 150 | Reef Royal 200 | Reef Royal 280 |
|--------------------|----------------|----------------|----------------|----------------|
| Pump Flow          | 2000L/H        | 3000L/H        | 8000L/H        | 12000L/H       |
| Voltage            | DC24V          | DC24V          | DC24V          | DC24V          |
| Power              | 17W            | 25W            | 50W            | 80W            |
| Suitable Tank Size | 250L           | 400L           | 400-1000L      | 1500-3000L     |
| Skimmer Diameter   | 120mm          | 150mm          | 250mm          | 280mm          |
| Foot Print         | 200x130x510mm  | 250x170x520mm  | 320x240x590mm  | 460x310x650mm  |
| Best Water Level   | 18-22cm        | 18-22cm        | 20-25cm        | 20-25cm        |